

Rhinoplasty (Nose Surgery) Information Sheet

Are you thinking about Rhinoplasty?

If you are considering surgery, Dr. Dawli wants you to be thoroughly informed about this procedure. Reading this information is the first step. Also please visit: <https://www.plasticsurgery.org/cosmetic-procedures/rhinoplasty/animation>

What is Rhinoplasty?

Rhinoplasty is an operation designed to change the appearance of your nose. There are several components to your nasal shape that you may wish altered in some way, such as the profile from the side view, the length or width, or the shape of the tip. Rhinoplasty, can improve the shape, size and general appearance of your nose. The goal is a nose that looks natural and achieves a harmonious balance with your other facial features.

The changes you wish to achieve may require altering the bones and cartilages that make up the bones, the lining of the nasal passageways or even the skin covering. It is important to be clear about the changes you want and to agree with your surgeon on realistic goals before surgery.

Is Rhinoplasty for me?

Assuming you are in good health, there is no upper age limit for having your nose reshaped. Rhinoplasty can alter the nasal profile, change the angle between the nose and upper lip and reshape the nasal tip. Alterations can be made to decrease the nasal bridge and reduce the size of the nose. The results of rhinoplasty enhance the balance between the nose and other facial features.

Sometimes certain breathing problems related to the internal nasal structures can be corrected at the same time as nose reshaping is performed. Your plastic surgeon will be able to help you determine whether these structures should be modified along with reshaping your nose.

Any of the following conditions may make you a good candidate for rhinoplasty:

- You have a hump on the nasal bridge seen from profile.
- Your nasal bridge is too low.
- Your nose looks too wide seen from the front. • Your nose looks too small or too large for your face.
- The nasal tip droops.
- The nasal tip is thickened or enlarged. • Your nostrils are excessively flared.
- Your nose is off-centre or crooked.
- Previous injury has made your nose asymmetrical.
- You have breathing difficulty because of previous injury.

Initial Consultation

It is important that you have a clear idea of how you would like your nose to look and, at the same time, realize that there are limitations to the procedure. During the initial consultation, you may be asked to point out exactly what you would like to see improved. This will help your plastic surgeon to understand your expectations and determine whether they can be realistically achieved.

B
BUFFALO PLASTIC SURGERY
DR. TAMARA B. DAWLI

You will be asked about your medical history including previous operations, past and present medical conditions and current medications. In order to provide you with the best information and safest options, it is important that you give your surgeon complete information. The medical conditions that may increase risks of surgery include high blood pressure, thyroid problems, diabetes and bleeding problems

Your plastic surgeon may also ask whether you have difficulty breathing through your nose, suffer from allergies that may cause nasal stuffiness, or are a chronic user of nasal sprays.

Your plastic surgeon will examine your internal nasal structures. Your skin quality as well as the size and shape of your nose and its relationship to your other facial features will be carefully studied.

Preoperative photographs may be taken during your initial consultation or a subsequent visit. Your surgeon will discuss the details of the operation with you and the possible risks and complications associated with the procedure.

Preparation for Surgery

Buffalo Plastic Surgery would like to make your surgical experience as easy and comfortable for you as possible. Smokers will be asked to stop smoking 4 weeks before surgery. Aspirin and some anti-inflammatory drugs used for the treatment of arthritis can cause increased bleeding, so you should avoid taking these medications for 2 weeks before surgery.

You will have a preoperative visit in the office about two weeks prior to the date of surgery. You will be asked about your medical history including previous operations, past and present medical conditions and medications. In order to provide you with the best information and safest options, it is important that you provide complete information. You may be asked to obtain an EKG prior to your surgery or have medical clearance from your primary care physician before proceeding with the surgery.

At this visit, instructions will be explained about what to do before and after surgery. You will have an opportunity to ask questions about your surgery, sign consent forms, and complete necessary laboratory work.

T

he operation is performed on an out patient basis, allowing you to return home after the operation is finished and you have recovered sufficiently from anesthesia. You will need to arrange to have someone drive you home after surgery and to stay with you at least the first night following surgery.

The day of Surgery

You will arrive at the outpatient surgery facility and be checked in for surgery. This process takes about one hour. Dr. Dawli will meet with you and answer any last minute questions. She will also make markings on your body with a marker and take more pictures. You will meet with the anesthesiologist, who will review your medical history and discuss the anesthesia with you.

Your Operation

Because of individual factors, not everyone will achieve the same results from rhinoplasty. Dr. Dawli will select the surgical technique that she feels will obtain the best outcome for you.

It may be necessary to place a small external incision across the vertical strip of tissue that separates the nostrils, called the columella if Dr. Dawli feels this offers the best way of correcting your problem. This technique is called an "open rhinoplasty."

Alterations may be made to increase or decrease the height of the nasal bridge, reduce the width of the nose, narrow the nostrils, change the angle between the nose and upper lip, or reshape the tip. If the base of the nose is narrowed or the nostrils reduced, small wedges of skin at the base of the nostrils may be removed. Through the small incisions described previously, work is done on the cartilage and bone that form the framework of your nose. Sometimes, the position of nasal bones may need to be changed to make your nose look narrower and straighter. If your nose needs to be built up in some areas, this can be done using nasal cartilage, or perhaps bone or cartilage from another site. The skin and soft tissues then re-drape themselves over this new scaffolding.

How long does the operation take?

The operation takes from 1 to 3 hours, depending on the extent of each case.

After Surgery

When surgery is completed, you will be taken into a recovery area where you will continue to be closely monitored. You will feel drowsy for several hours after the procedure and you will remember very little of this time. Generally, you will be ready to leave in about 1-2 hours after the operation is finished.

Because the area is infiltrated with long-lasting local anesthetic, you will have little or no pain when you wake up. As the anesthetic wears off, some discomfort will gradually return. This can generally be controlled by the pain medication prescribed. It is important to realize that the amount of time it takes for recovery varies greatly among individuals. Straining, bending and lifting must be avoided, since these activities might cause increased swelling or even bleeding. Some discoloration and swelling will occur initially, but this will disappear quickly. Most residual swelling will resolve within 6 weeks. The wounds are generally sutured with dissolving sutures so. The wounds are sometimes covered with a sticking tape to ensure optimal healing of the incision.

How will I look and feel initially?

It is important to understand that recovery time varies greatly among individuals.

After the operation, there will be a splint or on your nose. Your nose will feel stuffy and there will be swelling and bruising around your eyes. Minor oozing is not uncommon. Generally, bruising around the eyes and cheeks is most apparent during the first three days following surgery.

In the first week after surgery, you should restrict your activities and sleep with your head elevated.

Also, make certain you do not bend, strain or lift anything heavy. This will help to minimize swelling and reduce the possibility of minor bleeding, which is not uncommon. Remember, you must NOT take aspirin or certain anti-inflammatory medications as these increase the likelihood of bleeding.

Stitches are usually dissolvable. There may be a few stitches at the end of the nose that will be removed. You may need to continue wearing the nasal splint for up to a week.

Most discolorations will disappear within a week. A few days after surgery, you can begin to use makeup as a concealer, if desired. Although most of the swelling subsides in 4-6 weeks, there continues to be some swelling that may take six months or longer to subside. Swelling inside the nose can persist for several weeks and cause nasal stuffiness.

When can I resume my normal activities?

Generally speaking you will be able to engage in social contact by the second week following surgery. It is important for you not to over exert during the healing period to prevent bleeding. In many instances, you may be able to return to work within a



BUFFALO PLASTIC SURGERY
DR. TAMARA B. DAWLI

week or ten days after surgery, depending on the extent of surgery and your occupation. Walking can be resumed immediately after surgery and most other normal activities including exercise can usually be resumed within three weeks. Your nose will be sensitive to sunlight for several months and you must be conscientious about using a sun block to protect your skin.

Results of your Surgery

Since the healing process is gradual, you should expect to wait several months to get an accurate picture of the results of your nose surgery. External incisions, if any, will fade over a number of months until they become barely visible. The goal of rhinoplasty is a nose that looks natural and blends harmoniously with your other facial features. You are likely to begin enjoying your new look within weeks of your surgery. Occasionally, a touch-up may be desired to further improve the results. If this is the case, the additional procedure is usually less extensive than the original operation.

Risks and possible complications of Surgery

Fortunately, significant complications from rhinoplasty are infrequent. Every year, many thousands of operations are performed with no major problems and good results. However, there are potential problems and risks inherent to the procedure you need to understand before proceeding with your surgery.

- **Anesthetic:** You will be receiving general anesthesia and your anesthesiologist will be discussing with you possible risks associated with anesthesia
- **Bleeding:** Bleeding is the most likely problem that may occur after rhinoplasty. It can be problematical in about 20% of cases. It is most likely to occur immediately following surgery or the same evening. It is possible in cases of persistent problematical bleeding that return to the operating room will be required.
- **Infection:** Infection following rhinoplasty is very uncommon due to the excellent healing qualities of the face. If infection does occur, it will become evident within one week of surgery and may require treatment with antibiotics. This may delay the healing process or result in the development of scar tissue.
- **Scarring:** Incisions or cuts used to perform the surgery are designed to be unnoticeable. The incisions can be either completely internal or may involve a small cut through the base of the nose. The scars, both internal and external may heal unpredictably and become thickened and unsightly. In the unlikely event of this occurring, additional measures such as injections or revisional surgery may be necessary.
- **Unpredictable scarring** within the nasal passages may produce "webs" that may restrict the nasal opening.
- **Nasal shape:** Swelling of the nose can affect nasal contour for some months and during this period of settling, improvement in nasal shape can be expected.
- It is likely that close scrutiny of your new nasal shape may reveal some small irregularity in contour or symmetry of the dorsum of the nose or the tip. Many will improve with time but if they cause concern, surgical correction is usually possible.
- If the operation involves repositioning of the septum (the partition between the nostrils), perforation of the septum is possible. This usually causes no problems, but in some cases it may result in "whistling" during breathing or unpleasant crusting. If necessary, perforations of the septum can be corrected surgically.
- **Breathing:** The nose is part of the airway by which air enters the body during breathing. By manipulating the nose shape it is possible the nasal air passageway can be altered. You may notice nasal congestion and some restriction to airflow through the nose, particularly in the early post operative months. This can be expected to resolve as swelling settles.
- You may temporarily experience a diminished sense of smell.
- **Sensation:** The tip of the nose often feels numb for some months but this is quite normal and usually recovers completely. In the first few weeks there may be a feeling of stiffness or numbness in the upper lip. This is because swelling in the nose can affect the movement of the lip. As with all other changes due to this swelling process, it is quite transient. The lip or a front tooth may be numb temporarily.

B
BUFFALO PLASTIC SURGERY
DR. TAMARA B. DAWLI

_____ I have completed the American Society of Plastic Surgery Education module on rhinoplasty.

_____ I have read the entire content of the Rhinoplasty information sheet., I have discussed these with Dr. Dawli, and I understand. I have been given the opportunity to have all of my questions answered.

_____ I have read the informed consent, I understand the risks, alternatives, benefits, and I have had the opportunity to discuss these with Dr. Dawli. I have signed the consent.

_____ I confirm that I am a nonsmoker.

_____ I understand that there are no guarantees.

_____ I understand that I will be financially responsible for my surgery, anesthesia costs, and operating room facility fees. I understand that I will be financially responsible for my prescriptions, aftercare, and any subsequent procedures that I may need.

Patient Signature

Date/ Time

Witness Signature

Date/Time

Physician Signature

Date/Time